

MAX Tuber

SAFETY

Wear suitable gloves, overalls and face shield when handling this product.

STORAG

Store away from direct sunlight and in frost free conditions, preferably between 5°C and 35°C. Slight thickening can be a product characteristic under extreme conditions.

DISPOSAL

Do not allow product to enter water courses un-diluted.

Triple rinse emptied containers, adding the rinsate to the spray tank. Handle empty containers and their residues as established and in accordance with local legislation and guidance.

WARRANTY

Safagrow guarantees the content of the components as indicated on the label. The buyer assumes all risks regarding the use and management.

INSTRUCTIONS FOR USE

Read the label before use.

Shake the bottle well before use.

Half fill spray tank with water and begin agitation. Empty the required quantity into the spray tank, mix until dissolved or dispersed and add the balance of the water. Ensure agitation is maintained throughout the spraying operation. Do not allow the spray tank agitation to stop whilst product remains in the tank.

COMPATABILIT

MAX Tuber is compatible and can be mixed with many pesticides and nutrients but not all. However, Safagrow cannot accept any liability for any loss or damage resulting from tank mixes, as it is impossible to screen all possible mixes and conditions.

Safagrow recommends the buyer tests the proposed mix on small scale first.



DANGER

H314:	Causes severe skin burns and eye damage.		
H335:	May cause respiratory irritation.		
H411:	Toxic to aquatic life with long lasting effects.		
P260:	Do not breathe mist or spray.		
P303+361+353:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.		
P280:	Wear protective gloves/protective clothing/eye protection/face protection.		
P301+330+331:	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
P304+340:	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+351+338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		

VAL1445BUK

APPLICATION RECOMMENDATIONS

CROP	RATE	TIMING			
Apply the product in a minimum of 200 litre of water unless specified					
Potatoes (early growth)	10l/ha	For early growth apply one week after emergence.			
Potatoes (increasing tuber numbers)	10l/ha	Apply at tuber initiation.			
Potatoes (increase tuber size)	5I/ha	During tuber bulking. Allow 10–14 day interval between applications.			

Additional Crops: For additional crops not listed here, check our website at WWW.SAFAGROW.COM

EC FERTILISER			
PK – fertiliser suspension 28.9 – 4.9 with Zinc (Zn)			
Phosphorus Pentoxide (P2O3) Water-soluble	28.9%w/w		
Potassium Oxide (K ₂ O) Water-soluble	4.9%w/w		
Zinc (Zn) Water-soluble	3.016%w/w		