

## MAX Tuber

<b>Brand Name</b>	MAX Tuber
<b>Product Code</b>	C016
<b>Purpose</b>	A Soluble Liquid fertiliser for use as a nutritional supplement for deficiency in Potato crops with the advantage of ease of handling and mixing of water soluble nutrients.
<b>Description</b>	A Soluble PK fertiliser containing: Phosphorus, Potassium, Magnesium and Zinc.
<b>Standard Pack Sizes</b>	10lt, 800lt IBC.

### Chemical Composition

<b>Formulation (g/l)</b>	P <sub>2</sub> O <sub>5</sub> 440, K <sub>2</sub> O 75. MgO 67. Zn 46.
--------------------------	--

### Physical Properties

<b>Physical State</b>	Soluble liquid
<b>Colour</b>	Yellowish
<b>pH</b>	1.0 – 2.0
<b>Density</b>	1.51 - 1.55

### Crops Recommendations

<b>Foliar Applications</b>	<p>10 lt/ha in 200 litre water. For crop specific detail please see reverse side. Shake bottle well before use. Half fill spray tank with water and begin agitation. Empty the required quantity into the spray tank, mix until dissolved or dispersed and add the balance of the water. Ensure agitation is maintained throughout the spraying operation. Do not allow the spray tank agitation to stop whilst product remains in the tank.</p> <p>Foliar Fix Max Tuber is tank mixable with most spray applied chemicals. Read all labels carefully and adhere to the instructions for use and advice regarding whether or not the products should be co-applied. If mixing products in the spray tank, add product first. Many variables outside the control of Safagrow can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end user.</p>
----------------------------	--

### Storage

Protect from frost. Store between 5°C and 35°C. Do not store in direct sunlight.  
Keep away from food, drink and animal feed. Keep out of reach of children.



## Application Recommendations

<b>Crop</b>	<b>Rate</b>	<b>Timings</b>
Potatoes (early growth)	10 L/Ha	For early growth apply one week after emergence. Water rate 200 L/Ha.
Potatoes (increasing tuber numbers)	10 L/Ha	Apply at tuber initiation. Water rate 200 L/Ha.
Potatoes (increase tuber size)	5 L/Ha	During tuber bulking. Allow 10-14 day interval between applications. Water rate 200 L/Ha.
Cereals	5 L/Ha	Apply at tillering. Repeat in intervals of 10-14 days if necessary at the same rate. Water rate: 200 L/Ha.

