

FOLIAR FIX MAX P

Page: 1 Compilation date: 05/03/2012

Revision date: November 2018

Revision No: 4-F

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FOLIAR FIX MAX P

Product code: C030

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC12: Fertilizers.

1.3. Details of the supplier of the safety data sheet

Company name: Safagrow Limited

1 Stapledon Road Orton Southgate Peterborough Cambs. PE2 6TB United Kingdom Tel: +44 (0) 1733 367650 Fax: +44 (0) 1733 367651

Email: support@safagrow.com

1.4. Emergency telephone number

Emergency tel: 01733 367650

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:Hazard statements:H319: Causes serious eye irritation.H412: Harmful to aquatic life with long lasting effects.Hazard pictograms:GHS07: Exclamation mark



FOLIAR FIX MAX P

Precautionary statements:P264: Wash hands thoroughly after handling.P273: Avoid release to the environment.P280: Wear protective gloves/protective clothing/eye protection/face protection.	Signal words:	Warning
	Precautionary statements:	P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.		P273: Avoid release to the environment.
		P280: Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.		P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.		Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.		P337+P313: If eye irritation persists: Get medical advice/attention.
P501: Dispose of contents/container to hazardous or special waste collection		P501: Dispose of contents/container to hazardous or special waste collection
point.		point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

COPPER SULPHATE PENTAHYDRATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-847-6	7758-99-8	-	Acute Tox. 4: H302; Eye Dam. 1:	<1%
			H318; Aquatic Acute 1: H400;	
			Aquatic Chronic 1: H410	

BORIC ACID

233-139-2	10043-35-3	-	Repr. 1B: H360FD	<1%

ZINC CHLORIDE

231-592-0	7646-85-7	-	Acute Tox. 4: H302; Skin Corr. 1B:	<1%
			H314; Aquatic Chronic 1: H410;	
			Aquatic Acute 1: H400	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. If irritation persists seek medical attention.

Eye contact: Bathe the eye with running water for 15 minutes. Seek medical attention.

Ingestion: Wash out mouth with water. Seek medical attention immediately and show container/label or this data sheet

Inhalation: Inhalation of product is unlikely If recovery is not rapid seek medical attention

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

FOLIAR FIX MAX P

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: This product is not flammable and does not support combustion Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Usual hygiene practices apply. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

FOLIAR FIX MAX P

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ZINC CHLORIDE

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m3	2 mg/m3	-	-

Respirable dust

DNEL/PNEC Values

Hazardous ingredients:

BORIC ACID

	Туре	Exposure	Value	Population	Effect		
E	-	-	-	-	-		

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Green-blue
Odour:	Perceptible odour
Evaporation rate:	Negligible
Oxidising:	No data available.
Solubility in water:	Highly soluble
Viscosity:	Viscous
Boiling point/range°C:	>95
Flammability limits %: lower:	Not applicable.

Melting point/range°C: 0

FOLIAR FIX MAX P

Page: 5

Flash point°C:>93Autoflammability°C:No data available.Relative density:1.57 - 1.62VOC g/I:Not applicable.

upper: Not applicable. Part.coeff. n-octanol/water: Not applicable. Vapour pressure: No data available. pH: 5.5 - 7.5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Acids. Oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

BORIC ACID

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

ZINC CHLORIDE

IVN	RAT	LD50	3690	µg/kg
ORL	MUS	LD50	329	mg/kg

FOLIAR FIX MAX P

			250	mage // co
ORL	RAI	LD50	350	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

BORIC ACID

Daphnia magna	48H EC50	133	mg/l
FISH	96H LC50	100	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

FOLIAR FIX MAX P

Recovery operations: Not applicable.

Disposal of packaging: Do not reuse the container for any purpose Dispose of in compliance with all local and national regulations

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H360FD: May damage fertility. May damage the unborn child.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The product should not be used for other purposes than those specified under
	section 1. Attention of users is drawn to the possible risks incurred when the
	product is used for purposes other than those for which it was designed. The
	information in this document is based on the present state of our knowledge and is
	applicable to the product with regard to appropriate safety precautions. It does not
	represent any guarantee of the properties of the product. The company shall not
	be held liable for any damage resulting from handling or from contact with the
	above product.